

ACM40RDA

AC MODULAR COMBINER BOX SINGLE PHASE MCB 40A RCCB WITH AUTOMATIC RECLOSING TYPE A 30MA



Code	029ACM40RDA
EAN	8430892334273

Product description


Modular combiner box with mcb, rccb and overvoltage protection . Modular circuit breaker two pole 40A C curve breaking capacity 6kA - EN 60898-1. Residual current circuit breaker two pole type A sensitivity 30mA for alternating current with pulsed direct current, protected against nuisance tripping 0,25kA, EN 61008-1 with automatic reclosing according to EN 63024. Overvoltage protection ClassII In 20kA I_{max} 40kA U_p 1,5kV EN 61643-11 with associated fuse protection. Double insulation Class II box in polycarbonate material for indoor and outdoor use with high impact resistance (IK08). Dimensions 246x310x148mm

Combiner box technical data

MCB - Circuit breaker	40 A
Curve	C
Breaking capacity EN 60898-1	6 kA
RCCB type	A - 30mA (EN 61008-1 / EN 63024)
Inverter AC output	1P+N
Diferential type	30mA
Surge protector code	PSTC40
Surge protector type	II
Ingress protection IP	IP65 - IEC 60529
Impact protection IK	IK08 - IEC 62262

Diagrams

Electrical diagram




Dimensions

Product height	231 mm
Product width	310 mm
Product length	148 mm

Logistic data

Customs code	85371098
--------------	----------

Connection



Dimensions

