

ACT50SDA/300

AC MODULAR COMBINER BOX THREE PHASE MCB 50A RCCB TYPE A 300MA



Code	029ACT50SDA/300
EAN	8430892319188

Product description

Modular combiner box with mcb, rccb and overvoltage protection . Modular circuit breaker 3 poles + neutral 50A C curve breaking capacity 6kA - EN 60898-1. Residual current circuit breaker four pole type A sensitivity 300mA for alternating current with pulsed direct current, protected against nuisance tripping 0,25kA, EN 61008-1. Overvoltage protection ClassII In 20kA I_{max} 40kA U_p 1,5kV EN 61643-11 with associated fuse protection. Double insulation Class II box in polycarbonate material for indoor and outdoor use with high impact resistance (IK08). Dimensions de 286x418x148mm


Combiner box technical data

MCB - Circuit breaker	50 A
Inverter AC output	3P+N
Surge protector	Class II
Diferential type	300mA
Surge protector code	PSTC440
Surge protector type	II
Nominal discharge current (In)	20 kA
Maximum discharge current (Imax)	40 kA
Protection level at In (Up)	1.5 kV

Dimensions

Product height	286 mm
Product width	418 mm
Product length	148 mm
Product weight (kg)	3.78

Connection



Dimensions

