

LC5636107

LD CHANGEOVER SWITCH 4P 63A ENCLOSED

Code

009LC5636107

EAN

8430892353649

Logistic data

| | |
|---------------------|----------|
| Customs code | 85365080 |
| ETIM code | EC000216 |
| Package units | 1 |
| Package height (mm) | 150 |
| Package width (mm) | 170 |
| Package length (mm) | 205 |

Technical data

| | |
|--------------------------------------|-------------------------|
| Poles | 4 |
| Auxiliary | - |
| Operational rating (I _e) | 63 A |
| Thermal rating (I _{th}) | 70 A |
| Wire section (AWG) | 16 - 1 |
| Wire section flexible | 16 - 50 mm ² |
| Tightening torque | 3,5 Nm |
| Connection screws | M8 |

Terminal



| | |
|---|-------------------|
| Max. fuse protection (gG/aM) | 63/63 A (415 V) |
| | 63/63 A (500 V) |
| Conditional shortcircuit current (I _{cc}) | 8 kA (415 V) |
| | 8 kA (500 V) |
| Insulating voltage (V~) | 690 |
| Insulating voltage (V...) | 600 |
| Dummy AC-21A | 22 kW (3x230 V) |
| | 45 kW (3x415 V) |
| | 45 kW (3x500 V) |
| Mixed load AC-22A | 18,5 kW (3x230 V) |
| | 37 kW (3x415 V) |
| | 45 kW (3x500 V) |
| Motor load AC-23A | 18,5 kW (3x230 V) |
| | 30 kW (3x415 V) |
| | 37 kW (3x500 V) |
| Standard | IEC 60947-3 |

Dimensions

