

## LD993A100

BYPASS LD CHANGEOVER SWITCH 3P+6P 160A WITH OVERLAPPING

<b>Code</b>	009LD993A100
<b>EAN</b>	8430892335980

---

## Logistic data

---

Customs code	85365080
ETIM code	EC000216
Package units	1

## Technical data

---

Poles	3
Operational rating (Ie)	160 A
Thermal rating (Ith)	160 A
Wire section flexible	70 mm <sup>2</sup>
Connection screws	M8

Terminal



Max. fuse protection (gG/aM)	160 A (415 V)
	160 A (500 V)
Conditional shortcircuit current (Icc)	8 kA (415 V)
	8 kA (500 V)
Insulating voltage (V~)	690
Insulating voltage (V...)	600
Dummy AC-21A	45 kW (3x230 V)
	90 kW (3x415 V)
	110 kW (3x500 V)
Mixed load AC-22A	45 kW (3x230 V)
	90 kW (3x415 V)
	90 kW (3x500 V)
Motor load AC-23A	45 kW (3x230 V)
	75 kW (3x415 V)
Standard	IEC 60947-3

## Connection

---

993

	1	3	5	7	9	11	13	15	17	19
	○	○	○	○	○	○	○	○	○	○
	○	○	○	○	○	○	○	○	○	○
	2	4	6	8	10	12	14	16	18	20
I	×		×	×		×	×			×
I+II	×	×	×	×	×	×	×	×		×
II		×			×			×		

## Dimensions

---

