

## LD993C100

LD BYPASS CHANGEOVER SWITCH 3P+6P 250A WITH OVERLAPPING

<b>Code</b>	009LD993C100
<b>EAN</b>	8430892336000

## Logistic data

Customs code	85365080
ETIM code	EC000216
Package units	1
Package height (mm)	155
Package width (mm)	235
Package length (mm)	335

## Technical data

Poles	3
Operational rating (Ie)	250 A
Thermal rating (Ith)	250 A
Wire section flexible	120 mm <sup>2</sup>
Connection screws	M8

Terminal



Max. fuse protection (gG/aM)	250 A (415 V)
	250 A (500 V)
Conditional shortcircuit current (Icc)	8 kA (415 V)
	8 kA (500 V)
Insulating voltage (V~)	690
Insulating voltage (V...)	600
Dummy AC-21A	75 kW (3x230 V)
	132 kW (3x415 V)
	160 kW (3x500 V)
Mixed load AC-22A	75 kW (3x230 V)
	132 kW (3x415 V)
	132 kW (3x500 V)
Motor load AC-23A	75 kW (3x230 V)
	110 kW (3x415 V)
Standard	IEC 60947-3

## Connection

993

	1	3	5	7	9	11	13	15	17	19
	○	○	○	○	○	○	○	○	○	○
	○	○	○	○	○	○	○	○	○	○
	2	4	6	8	10	12	14	16	18	20
I	×		×	×		×	×			×
I+II	×	×	×	×	×	×	×	×		×
II		×			×			×		

## Dimensions

