

## YL551C301

MOTORISED ON-OFF SWITCH 2P 250A. 80-230VAC



<b>Code</b>	007YL551C301
<b>EAN</b>	8430892213332

---

**Product description**

Motorised switch-disconnector 0-1 , 2 poles 250A with motor unit supply 80-230Vac . Size D3 dimensions 185x162x113, includes auxiliary contact 12A. Back plate mounting. Local emergency operation, includes removable padlockable handle. Display for switch position indication and operation counter. Impulse control logic. Protection against supply voltage failure . Terminal connection with tubular cable lugs M8 up to 120mm<sup>2</sup>.

---

**Logistic data**

---

Customs code	85365080
ETIM code	EC000216

---

**Technical data**

---

Rated voltage / frequency	690 V / 50 Hz
Operational rating (I <sub>e</sub> )	250 A
Thermal rating (I <sub>th</sub> )	250 A
Wire cross section	120 mm <sup>2</sup>
Tightening torque	6 Nm
Connection screws	M8

---

Terminal




---

Peak consumption	2,5 A
Nominal consumption	40 mA
Weight	2850 gr
Supply voltage (V DC)	12 V +15%
Standard	IEC 60947-3
Supply	80-230V AC

---

## Connection

---



## Dimensions

---

